Home Menu > EnterpriseOne/OneWorld

EnterpriseOne / OneWorld Setup	x
Default setup Specific setup for a data source	
JDE_VIGILENS SY920 PD920, DV920, PY920	
Change Delete Default -> Data source Data source -> Default	<u>'</u>
OK Cancel	

Mapping

As Vigilens is a tool particularly adapted for EnterpriseOne/OneWorld, it is necessary to configure it to query the JDE/World system tables.

For <u>each data source</u>, it is necessary to map the system schema as well as the environment schemas using the Change... button.

System schema

System schema is the schema in which table F0094 is located.

	EnterpriseOne / OneWorld Setup	x
System Schema	Schemas related to environments Descriptions	
System schema	a name SY920 V	

Schemas relating to environments

for each environment you want to use, click on the button Change... and fill in the schema for each type of schema requested.



Envir Path Stat		
Envir Path Stat	R	
DEDADA DI MARIED		
DEP920 PLANNER		
JDV920 DV920		
D1920 D1920 K 361		_
	Set schema related to an environment	
E920 Development Env	fronment	
Scheme tune	Crhama	
Data Dictionary	DD920	
Object Librarian	01920	
Business Data	TESTDTA	
Central Objects	SVM920	
Control Tables	TESTCTL	
Security	SY920	
Security (F00950)	SY920	
Security (Web)	TESTDTA	
+ ×	5 h	
	Schema : SVMT920	
	0V920 DV920 < Set	0v920 0v920 < Setup > Im Set schema related to an environment E920 Development Environment Schema type Schema Data Dictionary D0920 Object Librarian OL920 Business Data TESTDTA Central Objects SVM920 Control Tables TESTCTL Security SY920 Security (F00950) SY920 Security (Web) TESTDTA



You can specify another system schema for each table by using + button.

Descriptions

Vigilens Reporting Knowledge Garden - https://vigilens.wiki/dokuwiki/

2025/08/02 13:54

3/4

EnterpriseOne / OneWorld Setup
System Schema Schemas related to environments Descriptions Retrieve automatically descriptions for following objects : Image: Companies of the second s
OK Cancel

Vigilens can automatically retrieve descriptions associated with fields of following types :

- address book
- cost center
- society
- item

For each of these field types, it is possible to allow the automatic retrieval of the associated descriptions. If the automatic retrieval of descriptions is authorized, it is possible to authorize or not the entry in a list containing all the possible values as well as the associated descriptions (for example when entering a parameter at runtime).

In case there are a lot of descriptions, entering in a list is not recommended because filling the list can take a long time and, as it is done before the execution of the query, the user may have the impression that the application is frozen.

Default values

- when a data source is selected in the grid, clicking on the button Default \rightarrow Data source will make this source the mapping model.
- when a data source is selected in the grid, clicking on the button Data Source → Default will apply the mapping of the default source on the selected data source.
- the Default setting button allows you to see which data source is currently the default source.

Last update: 2020/07/22 en:v8_0_0:admintool:menus:accueil:enterpriseone:start https://vigilens.wiki/dokuwiki/doku.php?id=en:v8_0_0:admintool:menus:accueil:enterpriseone:start&rev=1595402141 09:15

From: https://vigilens.wiki/dokuwiki/ - Vigilens Reporting Knowledge Garden 2 Permanent link: https://vigilens.wiki/dokuwiki/doku.php?id=en:v8_0_0:admintool:menus:accueil:enterpriseone:start&rev=1595402141 Last update: 2020/07/22 09:15