


Managent menu > Group

This menu is used in conjunction with the **Group Management** window. See [Admintool](#). If some of the buttons are grayed out, it means that you need to select a group in the Group Management window.

Propriétés des Groupes

Lorsque nous créons ou modifions un groupe, nous avons accès à l'ensemble de ses propriétés :

Global



The screenshot shows a dialog box titled "Group setup" with a close button (X) in the top right corner. The dialog has five tabs: "Global", "Rights Restrictions", "Time Out", "Data Access Restrictions", and "Shared Queries". The "Global" tab is active. It contains the following fields and controls:

- User:** A text box containing "<Default>".
- User type:** A dropdown menu with "Vigilens Designer" selected.
- Enable connection without login (if Windows user matches a Vigilens one):** An unchecked checkbox.
- Setup for emailing...:** A button located below the checkbox.
- OK:** A button at the bottom left.
- Cancel:** A button at the bottom right.

Name

Name of the group, knowing that the default group cannot be renamed.

User type

there are 2 possible types of users.

- Vigilens Viewer / Web: only consultation of existing queries
- Vigilens Designer: possibility to create new queries.



The available types depend on the license.

Windows connexion

Allows to launch Vigilens without the login window being displayed, if the Windows user name corresponds to the Vigilens user name.

Setup for emailing

You can also assign a different mail server and/or a different sender name for this group than the default server.

The mail server can be set at the user level, in which case it takes precedence over what is set at the group level.



Specifying mail settings at the user level allows you to have a personalized return address.

The screenshot shows a dialog box titled "Email Setup" with a close button (X) in the top right corner. Inside the dialog, there are two checked checkboxes: "Use default server (smtp.office365.com)" and "Use default sender (support@vigilens.fr)". At the bottom of the dialog, there are two buttons: "OK" and "Cancel".

Unchecking one or both checkboxes opens the entry to the parameters specific to this group.

Email Setup [X]

Use default server (smtp.office365.com)

SMTP

SMTP Server for outgoing mail

SMTP Server requires authentication

User Name

Password

SMTP Server Port ▼

Default encryption

Encryption

None TLS SSL

Use default sender (support@vigilens.fr)

OK Cancel

Email Setup [X]

Use default server (smtp.office365.com)

Use default sender (support@vigilens.fr)


Sender

Sender address


Copy for sender

OK Cancel

Restriction of rights



* This is where you define which Vigilens applications a group can access. You can see that for each right, there is a contextual help in the top right corner.





If one of these boxes is checked at the group level, it will also be checked at the group user level and will not be uncheckable.



recupérer les libellés en anglais de Denis

Time Out

The screenshot shows a 'Group setup' dialog box with a blue title bar and a close button (X) in the top right corner. It has five tabs: 'Global', 'Rights Restrictions', 'Time Out', 'Data Access Restrictions', and 'Shared Queries'. The 'Time Out' tab is selected. There are two main sections in the dialog:

- SQL run time out:** A section with a label 'SQL run time out' and a sub-label 'Enable time out' with a checked checkbox. To the right are three input boxes for time: '0' for hours, '3' for minutes, and '0' for seconds.
- Total time out (SQL run + Data download and display):** A section with a label 'Total time out (SQL run + Data download and display)' and a sub-label 'Enable time out' with a checked checkbox. To the right are three input boxes for time: '0' for hours, '4' for minutes, and '0' for seconds.

At the bottom of the dialog are two buttons: 'OK' and 'Cancel'.

There are 2 times out:

- the first one is purely relative to the database: it is the maximum time between the submission by Vigilens of the request to the SQL server and the end of the execution. This time out is managed by the database itself.
- the second one is managed by Vigilens: compared to the first one, it also takes into account the data extraction time.



These notions of time-out can be defined at different levels:

- group
- user

- query




These times must necessarily be smaller and smaller when switching from group to user and then user to query.



Because SQL time out is managed at the database system level, it is not available on all platforms.

Data access restriction



It may be useful to block certain groups from accessing certain sensitive company information. Vigilens can impose restrictions on :

- Environments
- Tables (for JDE/World type sources)
- Aliases (for JDE/World sources)
- Fields
- Values






The button Default restrictions... gives you access to settings that are valid for all data sources that do not have specific settings. The sequence of the screens is similar in every way to the settings for a particular data source.




Generally speaking, all of the following restrictions work on either as black list or white list system: either you make explicit which items are prohibited and everything else is allowed, or you make explicit which items are allowed and everything else is prohibited. Black list/White list operation is defined at group level and cannot be changed at user level.

you can:


- prevent/allow access to environments, for JDE/World data sources




- prevent/allow consultation of a particular table



- prevent/allow access to an alias (JDE/World)



- prevent/allow access to define table column



- prevent/allow the display of certain table rows according to criteria on a table column. The criterion can be a single value, a range of values, or a list of values.

The screenshot shows a 'Data Access Restrictions' dialog box with a 'Field Restrictions' tab. A red box highlights the 'Condition for forbidden data display' dropdown menu. A '+' icon is visible to the right of this dropdown. Below it, a sub-dialog 'Set a condition for a value related to a field or an alias' is open. It has two radio buttons: 'Enter an alias' and 'Enter a field'. Under 'Enter a field', there are two options: 'Enter a field without wizard' and 'Enter a field with wizard'. The 'Enter a field with wizard' option is selected. It shows two tables: 'Table name' with 'F0101' and 'Field name' with 'ABAN8'. Below these are two lists of fields. The 'Value for forbidden display' dropdown is set to 'Value equal to the following string :'. A red box highlights the '...' button next to it, which is followed by the text '[F0002].[NNCK01] ='. A sub-dialog titled '[F0002].[NNCK01]' is open, showing 'Single value' and 'List of values' tabs. The 'Single value' tab has two input fields containing '0' and '3'. A red arrow points from the '...' button in the main dialog to the sub-dialog.



If the data source is JDE/World, we have in addition the choice to use the JDE security associated with a user and one of his roles (or all roles with the value “*ALL”).

Data Access Restrictions X

Field Restrictions Set restrictions for values related to a field or an alias < >

Use JDE security related to this user

From: <https://vigilens.wiki/dokuwiki/> - **Vigilens Reporting Knowledge Garden**

Permanent link: https://vigilens.wiki/dokuwiki/doku.php?id=en:v8_0_0:admintool:menus:gestion:groupe:start&rev=1594889142

Last update: **2020/07/16 10:45**

