

Management > Set User Menu


This menu is used in conjunction with the **Group Management** window and the **User Management** window. See [Admintool](#). If some buttons are grayed out, it means that a user must be selected in either of the two Management windows.

User properties

When we create or modify a user, we have access to all his properties.

The user settings are similar to [those defined at the group level](#), with a few exceptions.

Global



The screenshot shows the 'User setup' dialog box with the 'Global' tab active. The 'User' field contains 'WEB_DEMO_EN' and the 'Group' field contains 'URL_WEB_USERS'. The 'Use the type of user defined at group level' checkbox is checked. The 'Limit the number of simultaneous logged users' checkbox is unchecked, and the spinner next to it is set to 1. The 'Dedicated work folder' checkbox is unchecked, and there is a file explorer icon to its right. The 'Use of the connection type from group level' checkbox is checked, and the 'Enable connection without login (if Windows user matches a Vigilens one)' sub-option is unchecked. A 'Setup for emailing...' button is located below the checkboxes. At the bottom of the dialog are 'OK' and 'Cancel' buttons.

If you uncheck use the type of user defined at group level, you can choose not only Vigilens viewer/web and Vigilens Designer, but **Vigilens Dedicated** too. This latest profile allows reserving one connexion (license) for this user. This is useful when you want to be sure that a free connexion will be available for this user at run time.

The dedicated working directory is a physical directory on the user's local machine, containing the queries he creates. By default, the working directory of a user is located in the "Archives" subdirectory of the directory where Vigilens has been installed.



Be careful, this is a problem when using Vigilens under Windows TSE because there is only one default working directory (on the server) shared by all users, hence possible problems of access to the files. In this case, it is strongly recommended to specify a working directory for each user. This directory **can be based on environment variables**, which allows to use, for the same Vigilens user, different directories defined at the Windows user level.

Rights restrictions


Identical to group rights restrictions, but if a box is checked at group level, you cannot un-check it at user level.

Time out

Identical to group time out, but values must be lower than what is defined at group level.

Data restriction

Identical to group data restrictions. However, if security is defined at group level, you cannot bypass it at user level. A Group Level Restrictions button let you see what is defined at group level.



Shared queries

You can either use the group settings or specify different directories.

User setup

Global

Rights Restrictions

Time Out

Data Access Restrictions

Shared Queries

Publish queries

☒ Folders defined for group

Use of shared queries

☒ Folders defined for group

OK

Cancel

User setup

Global

Rights Restrictions

Time Out

Data Access Restrictions

Shared Queries

Publish queries

☐ Folders defined for group

Use group setup

+

✕

Default folder :

\

Use of shared queries

☐ Folders defined for group

Use group setup

+

✕

OK

Cancel

<https://vigilens.wiki/dokuwiki/>

Printed on 2025/08/02 13:41

From:
<https://vigilens.wiki/dokuwiki/> - **Vigilens Reporting Knowledge Garden**

Permanent link:
https://vigilens.wiki/dokuwiki/doku.php?id=en:v8_0_0:admintool:menus:gestion:utilisateur:start&rev=1595407078

Last update: **2020/07/22 10:37**

