
2025/08/02 12:15 1/6 Query Menu


# **Query Menu**






This menu appears only if a query is selected in one of the panels.

### Run



- Execute = executes the query using the interactive restitution mode defined at the query level.
- Print = prints the summary of the query.


## **Edit**




Most of these buttons are not used very much, as they have intuitive shortcuts.

- Open = open in edition the selected query = double click on the query.
- Rename = single click on a guery or F2 on an already selected guery.
- Delete = button Delete on the keyboard.

The History button details the modifications and publications of the selected query.



## File




#### **Publish**



Once the development of a query is complete, it must be published to make it accessible to other users. A location in the shared directory is then requested, as well as a name. Overwriting a shared query is possible with a warning.


2025/08/02 12:15 3/6 Query Menu



It is not necessary to publish subqueries, only the final execution request must be published (subqueries are automatically integrated into the main request).

#### **Inserted Files**


This button allows certain actions on subqueries that have been incorporated into the main query. See Query selection.



• Displays a preview similar to the main Designer screen.



- lallows us to directly edit the embedded query.
- : execution of the embedded guery alone.
- 📃 : extract the embedded query.



# **Linked Queries**

2025/08/02 12:15 5/6 Query Menu





The linked queries are a powerful way to improve the user experience. See dedicated page.

#### **Result file**



Gives access to all the results files available for this query.



It is possible to:

- P: open the result file.
- 🗐 : save it on the disk.
- 🔀 : Delete it.



You can select several result files simultaneously to make a mass deletion.



You can't delete a query that has result files.



It is possible to prevent a user from deleting files that are not his or her own. See Authorizations.

# Clipboard



Classic editing menu

 $update: \\ 2020/09/10 \text{ } en: v8\_0\_0: designer: menus: requete: start \text{ } https://vigilens.wiki/dokuwiki/doku.php?id=en: v8\_0\_0: designer: menus: requete: start \text{ } https://vigilens.wiki/dokuwiki/dokuwiki/doku.php?id=en: v8\_0\_0: designer: menus: requete: start \text{ } https://vigilens.wiki/dokuwiki/dokuwiki/doku.php?id=en: v8\_0\_0: designer: menus: requete: start \text{ } https://vigilens.wiki/dokuwiki/dokuwiki/dokuwiki/doku.php?id=en: v8\_0\_0: designer: menus: requete: start \text{ } https://vigilens.wiki/dokuwiki/dokuwiki/dokuwiki/doku.php?id=en: v8\_0\_0: designer: menus: requete: start \text{ } https://vigilens.wiki/dokuwiki/dok$ 

From:

https://vigilens.wiki/dokuwiki/ - Vigilens Reporting Knowledge Garden

Permanent link:

Last update: 2020/09/10 15:44

