

Create URL to access Vigilens

One of the great strengths of Vigilens Reporting is the possibility to call up a report from a third party software or a simple browser. Here is the detail of the syntax.



To access this feature, you must have [Vigilens Web](#).

General syntax

```
http://ServerName/Path/table.php?vglCtrlName=QueryName&parameter1=value1&parameter2=value2
```

Wizard



In [Designer](#), there is a [#TBC command line wizard](#) that create a basic URL for you. Improve this URL to fit your needs.

Parameters



- Runtime parameters are passed using their shortcode.
 - syntax : `&ShorCode="SelectedValue"`.
- You cannot use wildcard ("`*`") for a parameter used as [criteria](#)

vglCtrlName=QueryName

- Specifies the name of the query to execute.
- This parameter is mandatory.
- "`QueryName`" it represents the relative path of the request in relation to the shared directory (path as it appears in the Vigilens interface).



- The `vglCtrlName` parameter allows executing only shared queries.

Exemples

- `table.php?vglCtrlName=Test` ⇒ Launches the “Test” query directly under the shared directory..
- `table.php?vglCtrlName=SubDir\Test` ⇒ Launches the “Test” query in the “SubDir” subdirectory of the shared directory.

vglUserName=UserName

- Specifies the user and does not display a login window if recognized.
- This setting is optional.

vglOutput=OutputType

- Force an output type other than the one provided in the query.
- Possible values are :
 - Grid : Interactive Grid (default)
 - XMLTable : XML Page (table)
 - XLTable : Embeddable XML page in Excel (query call from Excel only)
 - PDF
 - XLS : Excel file
 - TXT : text file
- This setting is optional.

vglHeader=FormatEntête

- Spécifie l’entête des colonnes du type de sortie XMLTable et XLTable.
- Les valeurs possibles sont :
 - 0 Aucune information
 - 1 Nom (défaut)
 - 2 Description
 - 3 Nom et Description

vglPDFType=TypeFichierPDF

- Spécifie le type de sortie PDF.
- Les valeurs possibles sont :
 - 0 Grille
 - 1 Etat
 - 2 Grille avec archivage
 - 3 Etat avec archivage
- Ce paramètre est obligatoire avec le paramètre `vglOutput=PDF`.

vglPDFModel=ModeleImpression

- Spécifie le modèle d’état ou d’impression de la grille.

- Ce paramètre est obligatoire avec le paramètre vglOutput=PDF.

vglNumFormat=DecimalesMilliers

- Les valeurs numériques restituées utiliseront
 - le premier caractère précisé comme séparateur de décimales
 - le second précisé comme séparateur de milliers
- Ce paramètre est optionnel.

vglArchive=1

- Dans le cas d'une restitution sous forme de fichier, ce paramètre force l'archivage du fichier (quelle que soit la valeur du paramètre vglPDFType) sur le serveur web.
- Ce paramètre est optionnel.

From:

<https://vigilens.wiki/dokuwiki/> - **Vigilens Reporting Knowledge Garden**

Permanent link:

https://vigilens.wiki/dokuwiki/doku.php?id=en:v8_0_0:howto:url&rev=1594197121

Last update: **2020/07/08 10:32**

