

# Create URL to access Vigilens

One of the great strengths of Vigilens Reporting is the possibility to call up a report from a third party software or a simple browser. Here is the detail of the syntax.



To access this feature, you must have [Vigilens Web](#).

## General syntax

```
http://ServerName/Path/table.php?vglCtrlName=QueryName&parameter1=value1&parameter2=value2
```

## Wizard



In [Designer](#), there is a [#TBC command line wizard](#) that creates a basic URL for you. Improve this URL to fit your needs.

## Parameters



- Runtime parameters are passed using their shortcode.
  - syntax : `&ShorCode="SelectedValue"`.
- You cannot use a wildcard ("`*`") for a parameter used as [criteria](#)

### vglCtrlName=QueryName

- Specifies the name of the query to execute.
- This parameter is mandatory.
- "`QueryName`" it represents the relative path of the request in relation to the shared directory (path as it appears in the Vigilens interface).



- The vglCtrlName parameter allows executing only shared queries.

## Exemples

- `table.php?vglCtrlName=Test` ⇒ Launches the “Test” query directly under the shared directory..
- `table.php?vglCtrlName=SubDir\Test` ⇒ Launches the “Test” query in the “SubDir” subdirectory of the shared directory.

## **vglUserName=UserName**

- Specifies the user and does not display a login window if recognized.
- This setting is optional.

## **vglOutput=OutputType**

- Force an output type other than the one provided in the query.
- Possible values are :
  - Grid : Interactive Grid (default)
  - XMLTable : XML Page (table)
  - XLTable : Embeddable XML page in Excel (query call from Excel only)
  - PDF
  - XLS : Excel file
  - TXT : text file
- This setting is optional.

## **vglHeader=HeaderFormat**

- Specifies the column headers of the XMLTable and XLTable output type.
- Possible values are :
  - 0 No information
  - 1 Name (default)
  - 2 Description
  - 3 Name and Description

## **vglPDFType=PDFFileType**

- Specifies the type of PDF output.
- Possible values are :
  - 0 Grid
  - 1 State
  - 2 Grid with archiving
  - 3 Report with archiving
- This parameter is mandatory with parameter `vglOutput=PDF`.

## **vglPDFModel=PrintTemplate**

- Specifies the report or print template of the grid.

- This parameter is mandatory with parameter `vglOutput=PDF`.

## **vglNumFormat=DecimalsThousands**

- The numerical values returned will use
  - the first character specified as decimal separator
  - the second one as the thousands separator
- This parameter is optional.

## **vglArchive=1**

- In the case of a file output, this parameter forces the file (regardless of the value of the `vglPDFType` parameter) to be archived on the web server.
- This parameter is optional.

From:

<https://vigilens.wiki/dokuwiki/> - **Vigilens Reporting Knowledge Garden**

Permanent link:

[https://vigilens.wiki/dokuwiki/doku.php?id=en:v8\\_0\\_0:howto:url&rev=1594197561](https://vigilens.wiki/dokuwiki/doku.php?id=en:v8_0_0:howto:url&rev=1594197561)

Last update: **2020/07/08 10:39**

