

```
Sub VIGILENS_<font inherit/inherit;;inherit;;#f1c40f>Nom</font><font
inherit/inherit;;inherit;;#f1c40f>de</font><font inherit/inherit;;inherit;;#f1c40f>la</font><font
inherit/inherit;;inherit;;#f1c40f>requête</font><font inherit/inherit;;inherit;;#f1c40f>()</font>
```

```
'
```

```
' Supprimer les données
```

```
Call SUPP_VIGILENS_<font inherit/inherit;;inherit;;#f1c40f>Nom</font><font
inherit/inherit;;inherit;;#f1c40f>de</font><font inherit/inherit;;inherit;;#f1c40f>la</font><font
inherit/inherit;;inherit;;#f1c40f>requête</font>
```

```
'
```

```
Dim DATEVIG As Variant
```

```
Dim CLIENTVIG As Variant
```

```
DATEVIG = "&DATE=" + Worksheets("<font
inherit/inherit;;#ffffff;;#e74c3c>SHEET1</font>").Range("$C$1").Text
```

```
CLIENTVIG = "&CLIENT=" + Worksheets("<font
inherit/inherit;;#ffffff;;#e74c3c>SHEET1</font>").Range("$C$2").Text
```

```
'MsgBox (DATEVIG) Paramètre à l'exécution de la requête VIGILENS
```

```
'MsgBox (CLIENTVIG) Paramètre à l'exécution de la requête VIGILENS
```

```
With Worksheets("<font inherit/inherit;;#ffffff;;#16a085>SHEET
DATA</font>").QueryTables.Add(Connection:= _
```

```
"URL;<a href="http://Nom du serveur/vigilens/table.php?vglOutput=XLTable&vglCtrlName=">http://Nom du serveur/vigilens/table.php?vglOutput=XLTable&vglCtrlName=
inherit/inherit;;inherit;;#f1c40f>chemin</font><font inherit/inherit;;inherit;;#f1c40f>\</font><font
inherit/inherit;;inherit;;#f1c40f>Nom</font><font inherit/inherit;;inherit;;#f1c40f>de</font><font
inherit/inherit;;inherit;;#f1c40f>la</font><font
inherit/inherit;;inherit;;#f1c40f>requête</font>&vglUserName=
inherit/inherit;;#ffffff;;#3498db>Nomdel'utilisateur</font><font
inherit/inherit;;inherit;;#3498db>VIGILENS</font>" + DATEVIG + CLIENTVIG _
```

```
, Destination:=Sheets("<font inherit/inherit;;#ffffff;;#16a085>SHEET DATA</font>").Range("$A$1"))
.Name = "<font inherit/inherit;;inherit;;#f1c40f>Nom</font><font
inherit/inherit;;inherit;;#f1c40f>de</font><font inherit/inherit;;inherit;;#f1c40f>la</font><font
inherit/inherit;;inherit;;#f1c40f>requête</font><font
inherit/inherit;;inherit;;#f1c40f>Vigilens</font>"
```

```
.FieldNames = True
```

```
.RowNumbers = False
```

```
.FillAdjacentFormulas = False
```

```
.PreserveFormatting = True
```

```
.RefreshOnFileOpen = False
```

```
.BackgroundQuery = True
```

.RefreshStyle = xlInsertDeleteCells

.SavePassword = False

.SaveData = True

.AdjustColumnWidth = True

.RefreshPeriod = 0

.WebSelectionType = xlEntirePage

.WebFormatting = xlWebFormattingNone

.WebPreFormattedTextToColumns = True

.WebConsecutiveDelimitersAsOne = True

.WebSingleBlockTextImport = False

.WebDisableDateRecognition = False

.WebDisableRedirections = False

.Refresh BackgroundQuery:=False

End With

End Sub

Sub SUPP_VIGILENS_Nomdelarequête()
,

'cette Macro supprime les données
,

On Error Resume Next

With Worksheets("SHEET DATA")

.QueryTable.Delete

.Columns("A:XX").ClearContents

End With

End Sub

From:
<https://vigilens.wiki/dokuwiki/> - **Vigilens Reporting Knowledge Garden**

Permanent link:
https://vigilens.wiki/dokuwiki/doku.php?id=v8_0_0:designer:menus:accueil:nouvellerequete:restitution:excel:exemplemacro&rev=1594134743

Last update: **2020/07/07 17:12**

